

Safety Data Sheet acc. to OSHA HCS

Printing date 05/30/2018

Reviewed on 05/30/2018

1 Identification

- **Product identifier**
- **Trade name: Neutrol L**
- **Application of the substance / the mixture**
Dry-cleaning
Additiv for solvent care
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
SEITZ GmbH
Gutenbergstrasse 1 - 3
65830 Kriftel / Germany
Tel. + 49(0) 6192-9948-0
Fax + 49(0) 6192-9948-99
order@seitz24.com
www.seitz24.com
- **Information department:**
CHEM-TEL Inc.
1305 North Florida Ave
Tampa Florida 33602
- **Emergency telephone number:** 1-800-255-3924 (24-hour Service)

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS05

- **Signal word** Danger

- **Hazard-determining components of labeling:**

2,2'-(octadec-9-enylimino)bisethanol

- **Hazard statements**

H314 Causes severe skin burns and eye damage.

- **Precautionary statements**

P260 Do not breathe mist/vapours/spray.

P280 Wear protective gloves / eye protection.

(Contd. on page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/30/2018

Reviewed on 05/30/2018

Trade name: Neutrol L

(Contd. of page 1)

- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a poison center/doctor.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**

- **CAS-No. Components:**

CAS: 34590-94-8	dipropylene glycol monomethylether	< 15%
CAS: 25307-17-9	2,2'-(octadec-9-enylimino)bisethanol	< 10%

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- **Description of first aid measures**
- **General information** Immediately remove any clothing soiled by the product.
- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact**
Immediately rinse with water.
If skin irritation continues, consult a doctor.
- **After eye contact**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing**
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; immediately call for medical help.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed**
Causes severe skin burns and eye damage.
- **Indication of any immediate medical attention and special treatment needed**
Symptomatic treatment

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents** Water with full jet.
- **Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.

(Contd. on page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/30/2018

Reviewed on 05/30/2018

Trade name: **Neutrol L**

(Contd. of page 2)

- **Advice for firefighters**
- **Protective equipment:**
Do not inhale explosion gases or combustion gases.
Wear self-contained respiratory protective device.
- **Additional information**
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
Avoid contact with eyes and skin.
Ensure adequate ventilation
Particular danger of slipping on leaked/spilled product.
- **Environmental precautions:** Do not allow product to reach sewage system or any water course.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Send for recovery or disposal in suitable receptacles.
- **Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling**
- **Precautions for safe handling**
Keep away from heat and direct sunlight.
Ensure good ventilation/exhaustion at the workplace.
Avoid contact with eyes and skin.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:**
Protect from heat and direct sunlight.
Store in cool, dry conditions in well sealed receptacles.
Protect from frost.
Time of storage: max. 24 month
- **Specific end use(s)** Dry-cleaning

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- (Contd. on page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/30/2018

Reviewed on 05/30/2018

Trade name: Neutrol L

(Contd. of page 3)

- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.
At this time, the remaining constituent has no known exposure limits.

CAS: 34590-94-8 dipropylene glycol monomethylether

PEL	Long-term value: 600 mg/m ³ , 100 ppm Skin
REL	Short-term value: 900 mg/m ³ , 150 ppm Long-term value: 600 mg/m ³ , 100 ppm Skin
TLV	Short-term value: 909 mg/m ³ , 150 ppm Long-term value: 606 mg/m ³ , 100 ppm Skin

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Do not eat, drink, smoke or sniff while working.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
Do not inhale gases / fumes / aerosols.
- **Breathing equipment:**
Use suitable respiratory protective device in case of insufficient ventilation (exceeding the workplace limit values, formation of aerosols).
- **Protection of hands:**
Protective gloves.
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
- **Material of gloves**
Nitrile rubber, NBR
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Tightly sealed goggles.
- **Body protection:** Protective work clothing.

US

(Contd. on page 5)



Safety Data Sheet

acc. to OSHA HCS

Printing date 05/30/2018

Reviewed on 05/30/2018

Trade name: **Neutrol L**

(Contd. of page 4)

9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form: Fluid

Color: Light yellow

- **Odor:** Product specific

- **Odor threshold:** No further relevant information available.

- **pH-value:** Not applicable.

- **Change in condition**

Melting point/Melting range: undetermined

Boiling point/Boiling range: undetermined

- **Flash point:** undetermined

- **Flammability (solid, gaseous)** No further relevant information available.

- **Ignition temperature:** No further relevant information available.

- **Decomposition temperature:** No further relevant information available.

- **Auto igniting:** Product is not selfigniting.

- **Danger of explosion:** Product does not present an explosion hazard.

- **Explosion limits:**

Lower: No further relevant information available.

Upper: No further relevant information available.

- **Oxidizing properties** No further relevant information available.

- **Vapor pressure:** No further relevant information available.

- **Density at 20 °C (68 °F):** ~ 0.92 g/cm³ (ISO 2811)

- **Relative density** No further relevant information available.

- **Vapor density** No further relevant information available.

- **Evaporation rate** No further relevant information available.

- **Solubility in / Miscibility with**

Water: Emulsifiable

- **Partition coefficient (n-octanol/water):** No further relevant information available.

- **Viscosity:**

dynamic: No further relevant information available.

kinematic: No further relevant information available.

- **Other information** No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.

- **Chemical stability**

 Stable under normal ambient conditions.

(Contd. on page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/30/2018

Reviewed on 05/30/2018

Trade name: Neutrol L

(Contd. of page 5)

- No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions** None if used as directed.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** Strong oxidizing agents
- **Hazardous decomposition products:** No dangerous decomposition products known

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity**

- **LD/LC50 values that are relevant for classification:**

ATE (Acute Toxicity Estimate)

Oral	LD50	12,727 mg/kg (rat)
------	------	--------------------

CAS: 34590-94-8 dipropylene glycol monomethylether

Oral	LD50	> 5,000 mg/kg (rat)
Dermal	LD50	9,500 mg/kg (rabbit)
Inhalative	LC50 (7h)	3.35 mg/l (rat)

CAS: 25307-17-9 2,2'-(octadec-9-enylimino)bisethanol

Oral	LD50	1,260 mg/kg (rat) (OECD 401)
------	------	------------------------------

- **Skin corrosion/irritation** Causes severe skin burns and eye damage.
- **Serious eye damage/irritation** Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **Specific target organ toxicity – single exposure**
Based on available data, the classification criteria are not met.
- **Specific target organ toxicity – repeated exposure**
Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

US

(Contd. on page 7)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/30/2018

Reviewed on 05/30/2018

Trade name: Neutrol L

(Contd. of page 6)

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:**

CAS: 34590-94-8 dipropylene glycol monomethylether

EC50 > 969 mg/l (Aquatic plants, algae) (96 h; Scenedesmus capricornutum)

1,919 mg/l (Aquatic invertebrates) (48 h; Daphnia)

LC50 > 10,000 mg/l (Fish) (96 h; Pimephales promelas)

CAS: 25307-17-9 2,2'-(octadec-9-enylimino)bisethanol

EC50 0.043 mg/l (Aquatic invertebrates) (48 h, Daphnia magna, OECD 202)

LC50 0.1 – 1 mg/l (Fish) (96 h; Zebrabärbling; OECD 203)

NOEC 0.0107 mg/l (Aquatic invertebrates) (21 d; Daphnia Magna; OECD 211)

ErC50 0.054 mg/l (Aquatic plants, algae) (Pseudokirchneriella subcapitata, OECD 201)

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Do not allow product to reach ground water, water course or sewage system.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:**

Contaminated adsorbent, soil, water must be disposed of in a permitted hazardous waste management facility. Recovered products may be reused, reprocessed or incinerated or must be treated in a permitted hazardous waste management facility. It is your duty to dispose of the chemical materials and/or their containers in accordance with the Clean Air Act, The Clean Water Act, RCRA, as well as applicable Federal, State, and local Regulations regarding disposal.

14 Transport information

· **UN-Number**

· **DOT, ADR, IMDG, IATA**

UN2735

(Contd. on page 8)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/30/2018

Reviewed on 05/30/2018

Trade name: Neutrol L

(Contd. of page 7)

<ul style="list-style-type: none"> · UN proper shipping name · DOT · ADR · IMDG · IATA 	<p>Amines, liquid, corrosive, n.o.s. (oleylaminethoxylate) 2735 Amines, liquid, corrosive, n.o.s. (oleylaminethoxylate), ENVIRONMENTALLY HAZARDOUS</p> <p>AMINES, LIQUID, CORROSIVE, N.O.S. (oleylaminethoxylate), MARINE POLLUTANT</p> <p>AMINES, LIQUID, CORROSIVE, N.O.S. (oleylaminethoxylate)</p>
--	---

<ul style="list-style-type: none"> · Transport hazard class(es) · DOT · Class · Label 	<p>8 Corrosive substances</p> <p>8</p>
---	--



<ul style="list-style-type: none"> · ADR · Class · Label 	<p>8 (C7) Corrosive substances</p> <p>8</p>
--	---



<ul style="list-style-type: none"> · IMDG · Class · Label 	<p>8 Corrosive substances</p> <p>8</p>
---	--



<ul style="list-style-type: none"> · IATA · Class · Label 	<p>8 Corrosive substances</p> <p>8</p>
---	--



<ul style="list-style-type: none"> · Packing group · DOT, ADR, IMDG, IATA 	<p>III</p>
---	------------

<ul style="list-style-type: none"> · Environmental hazards: · Marine pollutant: 	<p>Product contains environmentally hazardous substances: oleylaminethoxylate</p> <p>Symbol (fish and tree)</p>
---	---

(Contd. on page 9)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/30/2018

Reviewed on 05/30/2018

Trade name: Neutrol L

(Contd. of page 8)

<ul style="list-style-type: none"> · Special marking (ADR): · Special precautions for user · Danger code (Kemler): · EMS Number: · Segregation groups · Stowage Category · Segregation Code 	<p>Symbol (fish and tree)</p> <p>Warning: Corrosive substances 80 F-A,S-B Alkalis A SG35 Stow "separated from" acids.</p>
<ul style="list-style-type: none"> · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	<p>Not applicable.</p>
<ul style="list-style-type: none"> · Transport/Additional information: · DOT · Quantity limitations 	<p>On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L</p>
<ul style="list-style-type: none"> · ADR · Excepted quantities (EQ) 	<p>Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml</p>
<ul style="list-style-type: none"> · IMDG · Limited quantities (LQ) · Excepted quantities (EQ) 	<p>5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml</p>
<ul style="list-style-type: none"> · UN "Model Regulation": 	<p>UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (OLEYLAMINETHOXYLATE), 8, III, ENVIRONMENTALLY HAZARDOUS</p>

15 Regulatory information

· **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (specific toxic chemical listings):**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

(Contd. on page 10)

Safety Data Sheet acc. to OSHA HCS

Printing date 05/30/2018

Reviewed on 05/30/2018

Trade name: Neutrol L

(Contd. of page 9)

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **New Jersey Right-to-Know List:**

CAS: 34590-94-8 | dipropylene glycol monomethylether

· **New Jersey Special Hazardous Substance List:**

None of the ingredients is listed.

· **Pennsylvania Right-to-Know List:**

CAS: 34590-94-8 | dipropylene glycol monomethylether

· **Pennsylvania Special Hazardous Substance List:**

None of the ingredients is listed.

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **National regulations**

· **Other regulations, limitations and prohibitive regulations**

· **Please note:**

The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied is given. Regulatory requirements are subject to change and may differ from one location to another. It is the buyers responsibility to ensure that its activities comply with Federal, State or provincial, and local laws. The following specific information is made for the purpose of complying with numerous laws and regulations.

· **Other information:** The product has been designed for professional use only.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Date of preparation / last revision** 05/30/2018 / 4

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

(Contd. on page 11)



The fresher company.

Page 11/11

Safety Data Sheet acc. to OSHA HCS

Printing date 05/30/2018

Reviewed on 05/30/2018

Trade name: Neutrol L

(Contd. of page 10)

NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Eye Dam. 1: Serious eye damage/eye irritation – Category 1

• * **Data compared to the previous version altered.**

US