

Page 1/11

Safety Data Sheet acc. to OSHA HCS

Printing date 09/19/2019 Reviewed on 09/19/2019

1 Identification

- · Product identifier
- · Trade name: Novaclin Fresh
- · Application of the substance / the mixture

Dry-cleaning Detergent

- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SEITZ GmbH

Gutenbergstrasse 1 - 3

65830 Kriftel / Germany

Tel. + 49(0) 6192-9948-0

Fax + 49(0) 6192-9948-99

order@seitz24.com

www.seitz24.com

· Information department:

CHEM-TEL Inc.

1305 North Florida Ave

Tampa Florida 33602

· Emergency telephone number: 1-800-255-3924 (24-hour Service)

2 Hazard(s) identification

· Classification of the substance or mixture

Flam. Liq. 4 H227 Combustible liquid.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS05 GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

isotridecanol, ethoxylated

(R)-p-mentha-1,8-diene

· Hazard statements

H227 Combustible liquid.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

(Contd. on page 2)



Page 2/11

Safety Data Sheet acc. to OSHA HCS

Printing date 09/19/2019 Reviewed on 09/19/2019

Trade name: Novaclin Fresh

(Contd. of page 1)

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P280 Wear protective gloves / eye protection. P302+P352 If on skin: Wash with plenty of water.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

3 Composition/information on ingredients

Chemical characterization: Mixtures

· CAS-No. Components:				
CAS: 69011-36-5	isotridecanol, ethoxylated	30 – 60%		
CAS: 157905-74-3	Ethanaminium, 2-hydroxy-N,N-bis(2-hydroxyethyl)-N-methyl-, esters with C16-18 and C18-unsatd. fatty acids, Me sulfates (salts)	7 – 13%		
CAS: 34590-94-8	dipropylene glycol monomethylether	5 – 10%		
CAS: 67-63-0	2-propanol	0.5 – 1.5%		
CAS: 5989-27-5	(R)-p-mentha-1,8-diene	0.1 – 1%		

[•] Additional information For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- · Description of first aid measures
- **General information** Immediately remove any clothing soiled by the product.
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact

Immediately rinse with water.

If skin irritation continues, consult a doctor.

· After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

- · Information for doctor
- Most important symptoms and effects, both acute and delayed

Eye damage

Skin irritation

Allergic reactions

· Indication of any immediate medical attention and special treatment needed

Symptomatic treatment

US



Page 3/11

Safety Data Sheet acc. to OSHA HCS

Printing date 09/19/2019 Reviewed on 09/19/2019

Trade name: Novaclin Fresh

(Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents Water with full jet.
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

· Additional information

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Avoid contact with eyes and skin.

- Environmental precautions: Do not allow product to reach sewage system or any water course.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the collected material according to regulations.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling
- · Precautions for safe handling

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Avoid contact with eyes and skin.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

- · Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:

Protect from heat and direct sunlight.

(Contd. on page 4)



Page 4/11

Safety Data Sheet acc. to OSHA HCS

Printing date 09/19/2019 Reviewed on 09/19/2019

Trade name: Novaclin Fresh

(Contd. of page 3)

Store in cool, dry conditions in well sealed receptacles.

Protect from frost.

Time of storage: max. 24 month Specific end use(s) Dry-cleaning

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits

	At 111	At this time, the other constituents have no known exposure limits.				
	CAS	CAS: 34590-94-8 dipropylene glycol monomethylether				
PEL Long-term value: 600 mg/m³, 100 ppm Skin						
	REL	Short-term value: 900 mg/m³, 150 ppm Long-term value: 600 mg/m³, 100 ppm Skin				
	TLV	Short-term value: 909 mg/m³, 150 ppm Long-term value: 606 mg/m³, 100 ppm Skin				
	CAS: 67-63-0 2-propanol					
PEL Long-term value: 980 mg/m³, 400 ppm						
	REL	Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm				
	TLV	Short-term value: 984 mg/m³, 400 ppm				

Regulatory information

BEI

PEL: Guide to Occupational Exposure Values (OSHA PELs) REL: Guide to Occupational Exposure Values (NIOSH RELs)

TLV: Guide to Occupational Exposure Values (ACGIH)

Long-term value: 492 mg/m³, 200 ppm

Ingredients with biological limit values:

CAS: 67-63-0 2-propanol

BEI 40 mg/L

Medium: urine

Time: end of shift at end of workweek

Parameter: Acetone (background, nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment
- General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

(Contd. on page 5)



Page 5/11

Safety Data Sheet acc. to OSHA HCS

Printing date 09/19/2019 Reviewed on 09/19/2019

Trade name: Novaclin Fresh

(Contd. of page 4)

Do not eat, drink, smoke or sniff while working.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

Breathing equipment:

Use suitable respiratory protective device in case of insufficient ventilation (exceeding the workplace limit values, formation of aerosols).

· Protection of hands:

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Tightly sealed goggles.

· Body protection: Protective work clothing.

9 Physical and chemical properties

· Information on basic physical	and chemical properties
General Information	
· Appearance:	

Form: Fluid Color: Yellow

· Odor: Product specific

· Odor threshold: No further relevant information available.

pH-value (100 g/l) at 20 °C (68 °F): ~ 7.0

· Change in condition

Melting point/Melting range: not applicable **Boiling point/Boiling range:** undetermined

· Flash point: 65 °C (149 °F) (EN 22719)

No further relevant information available. · Flammability (solid, gaseous)

· Ignition temperature: No further relevant information available.

· Decomposition temperature: No further relevant information available.

· Auto igniting: Product is not selfigniting.

· Danger of explosion: Product does not present an explosion hazard.

(Contd. on page 6)



Page 6/11

Safety Data Sheet acc. to OSHA HCS

Printing date 09/19/2019 Reviewed on 09/19/2019

Trade name: Novaclin Fresh

		(Contd. of page
· Explosion limits:		
Lower:	No further relevant information available.	
Upper:	No further relevant information available.	
Oxidizing properties	No further relevant information available.	
· Vapor pressure:	No further relevant information available.	
· Density at 20 °C (68 °F):	~ 0.98 g/cm3 (ISO 2811)	
· Relative density	No further relevant information available.	
· Vapor density	No further relevant information available.	
Evaporation rate	No further relevant information available.	
· Solubility in / Miscibility with		
Water:	Emulsifiable	
· Partition coefficient (n-octanol/wa	ater): No further relevant information available.	
· Viscosity:		
dynamic:	No further relevant information available.	
kinematic:	No further relevant information available.	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability

Stable under normal ambient conditions.

No decomposition if used and stored according to specifications.

- Possibility of hazardous reactions None if used as directed.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Strong oxidizing agents
- · Hazardous decomposition products: No dangerous decomposition products known

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity

Acute tox	Acute toxicity		
· LD/LC50 v	are relevant for classification:		
CAS: 69011-36-5 isotridecanol, ethoxylated			
Oral LD50 > 5,000 mg/kg (rat) (OECD 401)		> 5,000 mg/kg (rat) (OECD 401)	
Dermal	LD50	> 5,000 mg/kg (/)	
CAS: 34590-94-8 dipropylene glycol monomethylether		ropylene glycol monomethylether	
Oral	LD50	> 5,000 mg/kg (rat)	
Dermal	LD50	9,500 mg/kg (rabbit)	
Inhalative LC50 (7h) 3.35 mg/l (rat)			
	(Contd. on page		

(Contd. on page 7)



Page 7/11

Safety Data Sheet acc. to OSHA HCS

Printing date 09/19/2019 Reviewed on 09/19/2019

Trade name: Novaclin Fresh

		(Contd.	of page 6)
CAS: 67-63-0 2-propanol			
Oral	LD50	5,840 mg/kg (rat) (OECD 401)	
Dermal	LD50	13,900 mg/kg (rabbit) (OECD 402)	
Inhalative	LC50	> 25 mg/l (rat) (6h, OECD 403)	
CAS: 5989-27-5 (R)-p-mentha-1,8-diene		p-mentha-1,8-diene	
Oral	LD50	> 2,000 mg/kg (rat)	
Dermal	LD50	5,000 mg/kg (rabbit)	

- Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- Additional toxicological information:
- Carcinogenic categories

· Carcinogenic d	· Carcinogenic categories			
· IARC (International Agency for Research on Cancer)				
CAS: 67-63-0	2-propanol	3		
CAS: 5989-27-5	5 (R)-p-mentha-1,8-diene	3		
· NTP (National Toxicology Program)				
None of the ing	redients is listed.			
· OSHA-Ca (Occupational Safety & Health Administration)				
None of the ingi	redients is listed.			

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- Specific target organ toxicity single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity - repeated exposure

Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological information

· Toxicity · Aquatic toxicity:			
CAS: 69011-36-5 isotridecanol, ethoxylated			
EC50 > 1 – 10 mg/l (Aquatic plants, algae) (72 h; Desmodesmus subspicatus; OECD 201)			
	> 1 – 10 mg/l (Aquatic invertebrates) (48 h; Daphnia magna; OECD 202)		
LC50	> 1 – 10 mg/l (Fish) (96 h; Cyprinus carprio; OECD 203)		
	1.36 mg/l (Aquatic invertebrates) (21 d; Daphnia magna; QSAR)		
CAS: 34590-94-8 dipropylene glycol monomethylether			
EC50	> 969 mg/l (Aquatic plants, algae) (96 h;Scenedesmus capricornutum)		
	1,919 mg/l (Aquatic invertebrates) (48 h; Daphnia)		
LC50	> 10,000 mg/l (Fish) (96 h; Pimephales promelas)		
	(Contd. on page		

(Contd. on page 8)



Page 8/11

Safety Data Sheet acc. to OSHA HCS

Printing date 09/19/2019 Reviewed on 09/19/2019

Trade name: Novaclin Fresh

	(Contd. of page 7)			
CAS: 67-63-0 2-propanol				
EC50 > 100 mg/l (Aquatic plants, algae) (72 h; Scenedesmus subspicatus)				
	9,714 mg/l (Aquatic invertebrates) (24 h; Daphnia magna; OECD 202)			
LC50	9,640 mg/l (Fish) (96 h; Pimephales promelas; OECD 203)			
CAS: 5989-27-5 (R)-p-mentha-1,8-diene				
EC50	0.36 mg/l (Aquatic invertebrates) (48 h; Daphnia magna; OECD 202)			
LC50	0.72 mg/l (Fish) (96 h; Pimephales promelas; OECD 203)			
ErC50	150 mg/l (Aquatic plants, algae) (72 h; Desmodesmus subspicatus; OECD 201)			

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Contaminated adsorbent, soil, water must be disposed of in a permitted hazardous waste management facility. Recovered products may be reused, reprocessed or incinerated or must be treated in a permitted hazardous waste management facility. It is your duty to dispose of the chemical materials and/or their containers in accordance with the Clean Air Act, The Clean Water Act, RCRA, as well as applicable Federal, State, and local Regulations regarding disposal.

UN-Number	
DOT	NA1993
ADR, ADN, IMDG, IATA	Void
UN proper shipping name	
DOT	COMBUSTIBLE LIQUID, N.O.S (Isopropanol,
	dipropylene glycol monomethylether)
ADR, ADN, IMDG, IATA	Void

___u



Page 9/11

Safety Data Sheet acc. to OSHA HCS

Printing date 09/19/2019 Reviewed on 09/19/2019

Trade name: Novaclin Fresh

(Contd. of page 8)

· Transport hazard class(es)

· DOT



3 Combustible liquids

· Label

· ADR, ADN, IMDG, IATA

· Class Void

· Packing group

· DOT Ш · ADR, IMDG, IATA Void

· Environmental hazards: Not applicable.

· Special precautions for user Not applicable.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

· Quantity limitations On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L

Void

· UN "Model Regulation":

15 Regulatory information

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (specific toxic chemical listings):

CAS: 67-63-0 2-propanol

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

Chemicals known to cause cancer:

None of the ingredients is listed.

(Contd. on page 10)



Page 10/11

Safety Data Sheet acc. to OSHA HCS

Printing date 09/19/2019 Reviewed on 09/19/2019

Trade name: Novaclin Fresh

		(Contd. of page 9
· Chemicals know	vn to cause reproductive toxicity for females:	(
None of the ingr		
· Chemicals know	vn to cause reproductive toxicity for males:	
None of the ingr		
· Chemicals know	vn to cause developmental toxicity:	
None of the ingr		
· New Jersey Rig	ht-to-Know List:	
CAS: 34590-94-	dipropylene glycol monomethylether	
CAS: 67-63-0	2-propanol	
· New Jersey Sp	ecial Hazardous Substance List:	
CAS: 67-63-0 2	CAS: 67-63-0 2-propanol	
· Pennsylvania R	ight-to-Know List:	·
CAS: 34590-94-	dipropylene glycol monomethylether	
CAS: 67-63-0	2-propanol	
· Pennsylvania S	pecial Hazardous Substance List:	
CAS: 67-63-0 2	propanol	E
· EPA (Environm	ental Protection Agency)	
None of the ingr	edients is listed.	
· TLV (Threshold	Limit Value established by ACGIH)	
CAS: 67-63-0 2	propanol	A4
NIOSH-Ca (Nati	onal Institute for Occupational Safety and Health)	
None of the ingr	edients is listed.	
· National regula	tions	

- National regulations
- Other regulations, limitations and prohibitive regulations
- · Please note:

The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied is given. Regulatory requirements are subject to change and may differ from one location to another. It is the buyers responsibility to ensure that its activities comply with Federal, State or provincial, and local laws. The following specific information is made for the purpose of complying with numerous laws and regulations.

Other information: The product has been designed for professional use only.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Date of preparation / last revision 09/19/2019 / 3.00
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 11)



Page 11/11

Safety Data Sheet acc. to OSHA HCS

Printing date 09/19/2019 Reviewed on 09/19/2019

Trade name: Novaclin Fresh

(Contd. of page 10)

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 4: Flammable liquids – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1

* Data compared to the previous version altered.