

Safety Data Sheet acc. to OSHA HCS

Printing date 06/01/2018

Reviewed on 06/01/2018

1 Identification

- **Product identifier**
- **Trade name: Optin Proxy**
- **Application of the substance / the mixture**
Laundry
Bleaching agent
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
SEITZ GmbH
Gutenbergstrasse 1 - 3
65830 Kriftel / Germany
Tel. + 49(0) 6192-9948-0
Fax + 49(0) 6192-9948-99
order@seitz24.com
www.seitz24.com
- **Information department:**
CHEM-TEL Inc.
1305 North Florida Ave
Tampa Florida 33602
- **Emergency telephone number:** 1-800-255-3924 (24-hour Service)

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS03 Flame over circle

Ox. Liq. 2 H272 May intensify fire; oxidizer.



GHS05 Corrosion

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

STOT SE 3 H335 May cause respiratory irritation.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/01/2018

Reviewed on 06/01/2018

Trade name: Optin Proxy

(Contd. of page 1)

· **Hazard pictograms**



GHS03 GHS05 GHS07

· **Signal word** Danger

· **Hazard-determining components of labeling:**

hydrogen peroxide
peracetic acid

· **Hazard statements**

H272 May intensify fire; oxidizer.
H290 May be corrosive to metals.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.

· **Precautionary statements**

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a poison center/doctor.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **CAS-No. Components:**

CAS-No.	Components:	
CAS: 7722-84-1	hydrogen peroxide	25 – 50%
CAS: 64-19-7	acetic acid	< 10%
CAS: 79-21-0	peracetic acid	< 10%

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

· **Description of first aid measures**

· **General information**

Remove casualties from exposure.
Keep unprotected persons away.

(Contd. on page 3)



Safety Data Sheet acc. to OSHA HCS

Printing date 06/01/2018

Reviewed on 06/01/2018

Trade name: Optin Proxy

(Contd. of page 2)

- Immediately remove any clothing soiled by the product.
- **After inhalation**
Supply fresh air or oxygen; call for doctor.
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact**
Immediately rinse with water.
Seek medical treatment.
- **After eye contact**
Rinse opened eye for several minutes under running water.
Call a doctor immediately.
- **After swallowing**
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; immediately call for medical help.
- **Information for doctor**
- **Most important symptoms and effects, both acute and delayed**
Causes severe skin burns and eye damage.
May cause respiratory irritation.
Nausea
Dizziness
Vertigo
Headache
- **Indication of any immediate medical attention and special treatment needed**
Symptomatic treatment

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents**
Water spray
Foam
Fire-extinguishing powder
Carbon dioxide
- **For safety reasons unsuitable extinguishing agents** Organic compounds
- **Special hazards arising from the substance or mixture**
In case of fire, the following can be released:
Oxygen (O₂)
Product is fire encouraging.
- **Advice for firefighters**
- **Protective equipment:**
Do not inhale explosion gases or combustion gases.
Wear self-contained respiratory protective device.
Wear fully protective suit.
- **Additional information**
Cool endangered receptacles with water spray.
Collect contaminated fire fighting water separately. It must not enter the sewage system.
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

US

(Contd. on page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/01/2018

Reviewed on 06/01/2018

Trade name: **Optin Proxy**

(Contd. of page 3)

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Avoid contact with eyes and skin.

Do not breathe gases/ vapours.

Keep away from ignition sources

- **Environmental precautions:**

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

- **Methods and material for containment and cleaning up:**

Dilute with plenty water.

Absorb with liquid-binding material (sand, diatomite)

Send for recovery or disposal in suitable receptacles.

- **Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- **Handling**

- **Precautions for safe handling**

Keep away from heat and direct sunlight.

Avoid contact with eyes and skin.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- **Information about protection against explosions and fires:**

Protect from heat.

Keep ignition sources away - Do not smoke.

Substance/ product is oxidizing.

- **Conditions for safe storage, including any incompatibilities**

- **Storage**

- **Requirements to be met by storerooms and receptacles:**

Use only receptacles specifically permitted for this substance/product.

Suitable material: stainless steel 1.4571 (V4A), plastics, glass, ceramic

Provide acid-resistant floor.

Provide ventilation for receptacles.

- **Information about storage in one common storage facility:**

Store away from foodstuffs.

Store away from flammable substances, reducing agents, alkalis and metal salts.

- **Further information about storage conditions:**

Protect from heat and direct sunlight.

Store receptacle in a well ventilated area.

Do not gas tight seal receptacle.

Store in a cool place.

Time of storage: max. 24 month

(Contd. on page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/01/2018

Reviewed on 06/01/2018

Trade name: Optin Proxy

· **Specific end use(s)** Laundry

(Contd. of page 4)

8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see item 7.

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

CAS: 7722-84-1 hydrogen peroxide

PEL	Long-term value: 1.4 mg/m ³ , 1 ppm
REL	Long-term value: 1.4 mg/m ³ , 1 ppm
TLV	Long-term value: 1.4 mg/m ³ , 1 ppm

CAS: 64-19-7 acetic acid

PEL	Long-term value: 25 mg/m ³ , 10 ppm
REL	Short-term value: 37 mg/m ³ , 15 ppm Long-term value: 25 mg/m ³ , 10 ppm
TLV	Short-term value: 37 mg/m ³ , 15 ppm Long-term value: 25 mg/m ³ , 10 ppm

CAS: 79-21-0 peracetic acid

TLV	Short-term value: 1.24* mg/m ³ , 0.4* ppm *inhalable fraction + vapor
-----	---

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment**

· **General protective and hygienic measures**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Do not eat, drink, smoke or sniff while working.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

· **Breathing equipment:**

Ensure good ventilation/exhaustion at the workplace.

Use suitable respiratory protective device in case of insufficient ventilation (exceeding the workplace limit values, formation of aerosols).

· **Protection of hands:**

Acid resistant gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· **Material of gloves**

Chloroprene rubber, CR

Natural rubber, NR

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has

(Contd. on page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/01/2018

Reviewed on 06/01/2018

Trade name: Optin Proxy

(Contd. of page 5)

- therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**
Gauze goggles
Tightly sealed goggles.
- **Body protection:** Acid resistant protective clothing

9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form:	Fluid
Color:	Colorless
· Odor:	Pungent
· Odor threshold:	Not determined.

- pH-value at 20 °C (68 °F): 0,6

- **Change in condition**

Melting point/Melting range:	~ - 28 °C (82.4 °F)
Boiling point/Boiling range:	not applicable

- **Flash point:** Not applicable

- **Flammability (solid, gaseous)** No further relevant information available.

- **Ignition temperature:** 395 °C (743 °F) (DIN 51 794)

- **Decomposition temperature:** ≥ 60 °C (≥ 140 °F)

- **Auto igniting:** Product is not selfigniting.

- **Danger of explosion:** No further relevant information available.

- **Explosion limits:**

Lower:	No further relevant information available.
Upper:	No further relevant information available.

- **Oxidizing properties** oxidising

- **Vapor pressure at 20 °C (68 °F):** ~ 27 hPa (~ 20.3 mm Hg)

· Density at 20 °C (68 °F):	~ 1,12 g/cm ³
· Relative density	No further relevant information available.
· Vapor density	No further relevant information available.
· Evaporation rate	No further relevant information available.

- **Solubility in / Miscibility with**

Water:	Fully miscible
--------	----------------

- **Partition coefficient (n-octanol/water):** -1,25 log POW (calculated)

(Contd. on page 7)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/01/2018

Reviewed on 06/01/2018

Trade name: Optin Proxy

(Contd. of page 6)

- **Viscosity:**
 - dynamic:** No further relevant information available.
 - kinematic at 20 °C (68 °F):** ~ 1,19 mm²/s (DIN 51 562)
- **Other information** No further relevant information available.

10 Stability and reactivity

- **Reactivity** No decomposition if used and stored according to specifications.
- **Chemical stability**
 Stable under normal ambient conditions.
 Danger of decomposition in case of warmth and heat influence.
- **Possibility of hazardous reactions**
 Reaction (decomposition) with metal ions, -salts and metals
 Flammable
 Danger of bursting
- **Conditions to avoid** Protect from heat and direct sunlight.
- **Incompatible materials:**
 Metal ions, metal salts, metals
 alkalis, reducing agents
 flammable substances
- **Hazardous decomposition products:**
 Steam and oxygen
 Ethanoic acid
- **Additional information:** Product is stabilized.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity**

- **LD/LC50 values that are relevant for classification:**

Oral	LD50	1,859 mg/kg (rat) (OECD TG 401; peracetic acid 5%)
------	------	--

CAS: 7722-84-1 hydrogen peroxide

Oral	LD50	1,190 – 1,270 mg/kg (rat)
Dermal	LD50	> 2,000 mg/kg (rabbit)
Inhalative	LC50 (4h)	11 mg/l (ATE)

CAS: 79-21-0 peracetic acid

Oral	LD50	100 mg/kg (rat)
Dermal	LD50	1,100 mg/kg (rabbit)
Inhalative	LC50 (4h)	11 mg/l (ATE)

- **Skin corrosion/irritation** Causes severe skin burns and eye damage.
- **Serious eye damage/irritation** Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

(Contd. on page 8)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/01/2018

Reviewed on 06/01/2018

Trade name: Optin Proxy

(Contd. of page 7)

· **Additional toxicological information:**

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

CAS: 7722-84-1 hydrogen peroxide	3
------------------------------------	---

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

· **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

· **Carcinogenicity** Based on available data, the classification criteria are not met.

· **Reproductive toxicity** Based on available data, the classification criteria are not met.

· **Specific target organ toxicity – single exposure** May cause respiratory irritation.

· **Specific target organ toxicity – repeated exposure**

Based on available data, the classification criteria are not met.

· **Aspiration hazard** Based on available data, the classification criteria are not met.

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:**

CAS: 79-21-0 peracetic acid

EC50	0.5 – 1 mg/l (Aquatic invertebrates) (48 h; Daphnia magna)
------	--

LC50	1.1 – 3.3 mg/l (Fish) (96 h; Lepomis macrochirus)
------	---

· **Persistence and degradability** No further relevant information available.

· **Other information:** The product is easily biodegradable.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **According to the formulation contains the following heavy metals and compounds from the EU guideline NO. 2006/11/EC:**

According to the latest stage of our technical knowledge the product does not contain any heavy metals nor compounds acc. to EG-standard 76/464 EWG.

· **General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Avoid transfer into the environment.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

US

(Contd. on page 9)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/01/2018

Reviewed on 06/01/2018






Trade name: Optin Proxy

(Contd. of page 8)

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Contaminated adsorbent, soil, water must be disposed of in a permitted hazardous waste management facility. Recovered products may be reused, reprocessed or incinerated or must be treated in a permitted hazardous waste management facility. It is your duty to dispose of the chemical materials and/or their containers in accordance with the Clean Air Act, The Clean Water Act, RCRA, as well as applicable Federal, State, and local Regulations regarding disposal.

14 Transport information

- | | |
|--|---|
| <ul style="list-style-type: none"> · UN-Number · DOT, ADR, IMDG, IATA | <p>UN3149</p> |
| <ul style="list-style-type: none"> · UN proper shipping name · DOT · ADR · IMDG · IATA | <p>Hydrogen peroxide and peroxyacetic acid mixtures, stabilized</p> <p>3149 Hydrogen peroxide and peroxyacetic acid mixtures, stabilized, ENVIRONMENTALLY HAZARDOUS</p> <p>HYDROGEN PEROXIDE AND PEROXYACETIC ACID MIXTURE, STABILIZED, MARINE POLLUTANT</p> <p>HYDROGEN PEROXIDE AND PEROXYACETIC ACID MIXTURE, STABILIZED</p> |
| <ul style="list-style-type: none"> · Transport hazard class(es) · DOT | <div style="display: flex; align-items: center; gap: 10px;">   </div> |
| <ul style="list-style-type: none"> · Class · Label | <p>5.1 Oxidizing substances</p> <p>5.1, 8</p> |
| <ul style="list-style-type: none"> · ADR | <div style="display: flex; align-items: center; gap: 10px;">    </div> |
| <ul style="list-style-type: none"> · Class | <p>5.1 (OC1) Oxidizing substances</p> |

(Contd. on page 10)



Safety Data Sheet acc. to OSHA HCS

Printing date 06/01/2018

Reviewed on 06/01/2018

Trade name: Optin Proxy

(Contd. of page 9)

· Label	5.1+8
· IMDG	
	
· Class	5.1 Oxidizing substances
· Label	5.1/8
· IATA	
	
· Class	5.1 Oxidizing substances
· Label	5.1 (8)
· Packing group	
· DOT, ADR, IMDG, IATA	II
· Environmental hazards:	
· Marine pollutant:	Symbol (fish and tree)
· Special marking (ADR):	Symbol (fish and tree)
· Special precautions for user	Warning: Oxidizing substances
· Danger code (Kemler):	-
· EMS Number:	F-H,S-Q
· Segregation groups	Peroxides
· Stowage Category	D
· Stowage Code	SW1 Protected from sources of heat.
· Segregation Code	SG16 Stow "separated from" class 4.1 SG59 Stow "separated from" permanganates SG72 See 7.2.6.3.2.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 5 L
· ADR	
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IMDG	
· Limited quantities (LQ)	1L

(Contd. on page 11)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/01/2018

Reviewed on 06/01/2018

Trade name: Optin Proxy

(Contd. of page 10)

<ul style="list-style-type: none"> · Excepted quantities (EQ) 	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
<ul style="list-style-type: none"> · UN "Model Regulation": 	UN 3149 HYDROGEN PEROXIDE AND PEROXYACETIC ACID MIXTURES, STABILIZED, 5.1 (8), II, ENVIRONMENTALLY HAZARDOUS

15 Regulatory information

· **Sara**

· **Section 355 (extremely hazardous substances):**

CAS: 7722-84-1	hydrogen peroxide
----------------	-------------------

CAS: 79-21-0	peracetic acid
--------------	----------------

· **Section 313 (specific toxic chemical listings):**

CAS: 79-21-0	peracetic acid
--------------	----------------

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **New Jersey Right-to-Know List:**

CAS: 7722-84-1	hydrogen peroxide
----------------	-------------------

CAS: 64-19-7	acetic acid
--------------	-------------

CAS: 79-21-0	peracetic acid
--------------	----------------

· **New Jersey Special Hazardous Substance List:**

CAS: 7722-84-1	hydrogen peroxide	CO, MU, R3
----------------	-------------------	------------

CAS: 64-19-7	acetic acid	CO, F2
--------------	-------------	--------

CAS: 79-21-0	peracetic acid	CO, F2, R4
--------------	----------------	------------

· **Pennsylvania Right-to-Know List:**

CAS: 7722-84-1	hydrogen peroxide
----------------	-------------------

CAS: 64-19-7	acetic acid
--------------	-------------

CAS: 79-21-0	peracetic acid
--------------	----------------

(Contd. on page 12)

Safety Data Sheet acc. to OSHA HCS

Printing date 06/01/2018

Reviewed on 06/01/2018

Trade name: Optin Proxy

(Contd. of page 11)

· **Pennsylvania Special Hazardous Substance List:**

CAS: 7722-84-1	hydrogen peroxide	E
CAS: 64-19-7	acetic acid	E
CAS: 79-21-0	peracetic acid	E

· **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· **TLV (Threshold Limit Value established by ACGIH)**

CAS: 7722-84-1	hydrogen peroxide	A3
----------------	-------------------	----

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **National regulations**

· **Other regulations, limitations and prohibitive regulations**

· **Please note:**

The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied is given. Regulatory requirements are subject to change and may differ from one location to another. It is the buyers responsibility to ensure that its activities comply with Federal, State or provincial, and local laws. The following specific information is made for the purpose of complying with numerous laws and regulations.

· **Other information:** The product has been designed for professional use only.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Date of preparation / last revision** 06/01/2018 / 3

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Ox. Liq. 2: Oxidizing liquids – Category 2

Met. Corr.1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· *** Data compared to the previous version altered.**